

**BASIC RATES**  
**(A) Labour**

| Sl. No. | Description of Labour  | Unit | Rate (Rs.) |
|---------|------------------------|------|------------|
| L-01    | Bhisti                 | day  | 120.00     |
| L-02    | Bitumen Sprayer        | day  | 150.00     |
| L-03    | Blacksmith             | day  | 220.00     |
| L-04    | Blaster                | day  | 250.00     |
| L-05    | Carpenter 1st Class    | day  | 300.00     |
| L-06    | Chips spreader         | day  | 150.00     |
| L-07    | Chiseller              | day  | 250.00     |
| L-08    | Dresser (Skilled)      | day  | 250.00     |
| L-09    | Driller                | day  | 250.00     |
| L-10    | Electrician            | day  | 250.00     |
| L-11    | Fitter                 | day  | 200.00     |
| L-12    | Mason (1st class)      | day  | 300.00     |
| L-13    | Mason (2nd Class)      | day  | 220.00     |
| L-14    | Mate                   | day  | 300.00     |
| L-15    | Mazdoor (Unskilled)    | day  | 120.00     |
| L-16    | Mazdoor (Semi skilled) | day  | 150.00     |
| L-17    | Mazdoor (Skilled)      | day  | 200.00     |
| L-18    | Painter (1st class)    | day  | 200.00     |
| L-19    | Plumber                | day  | 250.00     |
| L-20    | Surveyor               | day  | 300.00     |
| L-21    | White Washer           | day  | 110.00     |

**BASIC RATES**  
**(B) USAGE RATES OF PLANT & MACHINERY**

| Sr. No. | Description of                                       |                                   | Output of Machine |          | Usage Rates in Rs. |           |
|---------|--|-----------------------------------|-------------------|----------|--------------------|-----------|
|         | Machine  | Activity                          | Unit              | Output   | Unit               | Rate      |
| PM-001  | Air Compressor 210 cfm                               | Supplying compressed air          | cfm               | 210.00   | per hour           | 400.00    |
| PM-002  | Batch mix HMP 40-60 TPH                              | BM, DBM, SDBC, PM                 | t/h               | 50.00    | per hour           | 14,620.00 |
| PM-003  | Batch type HMP 30/40 TPH                             | BM, DBM, SDBC, PM                 | t/h               | 35.00    | per hour           | 6,400.00  |
| PM-004  | Bitumen boiler oil fired                             | Heating of bitumen                |                   |          |                    |           |
|         | 200 litre  |                                   | litre / h         | 400.00   | per hour           | 126.00    |
|         | 1000 litre   |                                   | litre / h         | 2000.00  | per hour           | 260.00    |
| PM-005  | Bitumen emulsion pressure distributor                | Applying bitumen tack coat        | sqm/h             | 1750.00  | per hour           | 1,301.00  |
| PM-006  | Concrete mixer 0.28/0.4 cum                          | Mixing of ingredients             | cum/h             | 2.50     | per hour           | 297.00    |
| PM-007  | Crane upto 8T  | Lifting of materials              |                   |          | per hour           | 570.00    |
| PM-008  | Dozer D 50   | Dozing cutting                    | cum/h             | 200.00   | per hour           | 2,686.00  |
|         |  |                                   | cum/h             | 100.00   |                    | 2,686.00  |
| PM-009  | Electric generator set, 125 KVA                      | Electricity generation            | KVA               | 100.00   | per hour           | 903.00    |
| PM-010  | Emulsion Sprayer with Tractor                        | Spraying of Emulsion              |                   |          | per hour           | 325.00    |
| PM-011  | Front end-loader 1 cum bucket capacity @ 45 cum/hour | Loading Aggregates                | cum/h             | 45.00    | per hour           | 1,050.00  |
|         |  | Loading Soil                      | cum/h             | 100.00   |                    | 1,500.00  |
| PM-012  | Hydraulic broom with tractor                         | Surface cleaning                  | sqm/h             | 1250.00  | per hour           | 420.00    |
| PM-013  | Hydraulic Excavator 0.9 cum                          | Excavation                        | cum/h             | 100.00   | per hour           | 1,800.00  |
| PM-014  | Hydraulic self propelled chip spreader               | Surface Dressing                  | sqm/h             | 1500.00  | per hour           | 3,197.00  |
| PM-015  | Jack Hammer with tractor                             | Pavement breaking & rock drilling | cum/h             | 05. to 1 | per hour           | 330.00    |
| PM-016  | Joint Cutting Machine with 2-3 blades                | Cutting of Joints                 | h                 |          | per hour           | 263.00    |
| PM-017  | Mixall 6-10 t capacity                               | Mixing of bituminous materials    | t/h               | 8.00     | per hour           | 1,310.00  |

**BASIC RATES**  
**(B) USAGE RATES OF PLANT & MACHINERY**

| Sr. No.                  | Description of                         |                                 | Output of Machine |        | Usage Rates in Rs. |           |
|--------------------------|--|---------------------------------|-------------------|--------|--------------------|-----------|
|                          | Machine                                | Activity                        | Unit              | Output | Unit               | Rate      |
| PM-018                   | Motor Grader                           | Scarifier & levelling           | cum/h             | 200.00 | per hour           | 2,911.00  |
|                          |  |                                 |                   | 50.00  |                    | 2,911.00  |
| PM-019                   | Needle vibrator                        | Vibrating cement concrete mix   | cum/h             | 3.50   | per hour           | 113.00    |
| PM-020                   | Paver finisher                         | Laying/spreading                | t/h               | 75.00  | per hour           | 1,180.00  |
| PM-021                   | Plate compactor                        | Compaction                      | cum/h             |        | per hour           | 158.00    |
| PM-022                   | Plate vibrator                         | Compaction                      | cum/h             |        | per hour           | 113.00    |
| PM-023                   | Screed vibrator                        | Compaction                      | cum/h             |        | per hour           | 226.00    |
| PM-024                   | Smooth wheeled 80-100 kN tandem roller | Compaction of Sub-base/ Asphalt | cum/h             | 30.00  | per hour           | 1,393.00  |
| PM-025                   | Stone crusher (Integrated) of 200 TPH  | Crushing of Spalls              | t/h               | 200.00 | 12990              | 18,263.00 |
| PM-026                   | Three wheel 80-100 kN Static Roller    | Compaction/ Rolling             |                   |        | per hour           | 580.00    |
|                          |  | Earth:- Embankment or sub-grade | cum/h             | 80/70  |                    | 580.00    |
|                          |  | Sub-base G-I                    | cum/h             | 10.00  |                    | 580.00    |
|                          |  | Sub-base G-II/G-III             | cum/h             | 8.00   |                    | 580.00    |
|                          |  | WMM                             | cum/h             | 16.00  |                    | 580.00    |
|                          |  | BUSG                            | cum/h             | 10.00  |                    | 580.00    |
|                          |  | BM 50/75 mm                     | cum/h             | 12.00  |                    | 580.00    |
|                          |  | Premix 20 mm                    | sqm/h             | 250.00 |                    | 580.00    |
|                          |  | Seal Coat                       | sqm/h             | 500.00 |                    | 580.00    |
|                          |  | Surface Dressing 1st Coat       | sqm/h             | 400.00 |                    | 580.00    |
| Surface Dressing 2ndCoat | sqm/h                                  | 500.00                          | 580.00            |        |                    |           |
| PM-027                   | Tipper 5.5 cum/10 t                    | Carriage                        | cum/trip          | 5.50   | per hour           | 578.00    |

**BASIC RATES**  
**(B) USAGE RATES OF PLANT & MACHINERY**

| <i>Sr. No.</i> | <i>Description of</i>                             |   | <i>Output of Machine</i> |                 | <i>Usage Rates in Rs.</i> |                 |
|----------------|---|---|--------------------------|-----------------|---------------------------|-----------------|
|                | <i>Machine</i>                                    | <i>Activity</i>                           | <i>Unit</i>              | <i>Output</i>   | <i>Unit</i>               | <i>Rate</i>     |
| <i>PM-028</i>  | <i>Tractor with Disc Harrows</i>                  | <i>Pulverisation of soil</i>              | <i>cum/h</i>             | <i>80.00</i>    | <i>per hour</i>           | <i>441.00</i>   |
| <i>PM-029</i>  | <i>Tractor with ripper @ 60 cum per hour</i>      | <i>Ripping Pavements, uprooting trees</i> | <i>cum/h</i>             | <i>60.00</i>    | <i>per hour</i>           | <i>454.00</i>   |
| <i>PM-030</i>  | <i>Tractor with trolley</i>                       | <i>Transportation of materials</i>        | <i>t/trip</i>            | <i>3 to 5</i>   | <i>per hour</i>           | <i>441.00</i>   |
| <i>PM-031</i>  | <i>Tractor with Rotavator</i>                     | <i>Scarifier</i>                          | <i>cum/h</i>             | <i>25.00</i>    | <i>per hour</i>           | <i>441.00</i>   |
| <i>PM-032</i>  | <i>Truck 10 t capacity</i>                        | <i>Carriage</i>                           | <i>cum/trip</i>          | <i>5.50</i>     | <i>per hour</i>           | <i>525.00</i>   |
| <i>PM-033</i>  | <i>Vibratory roller 80-100 kN</i>                 | <i>Compaction of soil WMM</i>             | <i>cum/h</i>             | <i>100.00</i>   | <i>per hour</i>           | <i>1,866.00</i> |
|                |   | <i>Compaction of BM</i>                   | <i>cum/h</i>             | <i>60.00</i>    |                           | <i>1,866.00</i> |
| <i>PM-034</i>  | <i>Water tanker 6 kl capacity (Truck Mounted)</i> | <i>Carriage of water</i>                  | <i>litre / h</i>         | <i>12000.00</i> | <i>per hour</i>           | <i>550.00</i>   |
| <i>PM-035</i>  | <i>Wet mix plant (Pug Mill)</i>                   | <i>Wet Mix</i>                            | <i>cum/h</i>             | <i>25.00</i>    | <i>per hour</i>           | <i>1,474.00</i> |

**BASIC RATES**  
**(C) Material**

| Sl. No. | Description  | Unit | Rate at Plant (Rs.) |
|---------|--|------|---------------------|
| M-001   | AC pipe 100 mm   | m    | 200.00              |
| M-002   | Aggregate - For 37.5 mm Maximum size - 22.4 mm to 5.6 mm           | cum  | 900.00              |
| M-003   | Aggregate - For 37.5 mm Maximum size - 45 mm to 22.5 mm            | cum  | 800.00              |
| M-004   | Aggregate - For 37.5 mm Maximum size - Below 5.6 mm                | cum  | 1,050.00            |
| M-005   | Aggregate - For 53 mm Maximum size - 22.5 mm to 5.6 mm             | cum  | 900.00              |
| M-006   | Aggregate - For 53 mm Maximum size - 63 mm to 45 mm                | cum  | 700.00              |
| M-007   | Aggregate - For 53 mm Maximum size - Below 5.6 mm                  | cum  | 1,200.00            |
| M-008   | Aggregate - Grading I (40 mm nominal Size) 10 mm - 5 mm            | cum  | 1,200.00            |
| M-009   | Aggregate - Grading I (40 mm nominal Size) 25 mm - 10 mm           | cum  | 1,000.00            |
| M-010   | Aggregate - Grading I (40 mm nominal Size) 37.25 mm - 25 mm        | cum  | 950.00              |
| M-011   | Aggregate - Grading I (40 mm nominal Size) 5 mm and below          | cum  | 1,200.00            |
| M-012   | Aggregate - Grading II (19 mm nominal Size) 10 mm - 5 mm           | cum  | 1,200.00            |
| M-013   | Aggregate - Grading II (19 mm nominal Size) 25 mm - 10 mm          | cum  | 1,000.00            |
| M-014   | Aggregate - Grading II (19 mm nominal Size) 5 mm and below         | cum  | 1,200.00            |
| M-015   | Aggregate 10 mm  | cum  | 1,200.00            |
| M-016   | Aggregate 20 mm  | cum  | 1,000.00            |
| M-017   | Aggregate 40 mm  | cum  | 900.00              |
| M-018   | Aggregate- Crushable type such as moorum or Gravel for Grading I   | cum  | 600.00              |
| M-019   | Aggregate- Crushable type such as moorum or Gravel for Grading II  | cum  | 700.00              |
| M-020   | Aggregate- Crushable type such as moorum or Gravel for Grading III | cum  | 750.00              |
| M-021   | Aggregate-Grading I 90 mm to 45 mm                                 | cum  | 600.00              |
| M-022   | Aggregate-Grading II 63 mm to 45 mm                                | cum  | 700.00              |
| M-023   | Aggregate-Grading III 53 mm to 22.4 mm                             | cum  | 750.00              |
| M-024   | Aggregates 22.4 mm to 2.36 mm for wet mix macadam                  | cum  | 900.00              |
| M-025   | Aggregates 45 mm to 22.4 mm for wet mix macadam                    | cum  | 800.00              |

**BASIC RATES**  
**(C) Material**

| Sl. No. | Description  | Unit  | Rate at Plant (Rs.) |
|---------|--|-------|---------------------|
| M-026   | Aluminium sheeting (1.5 mm thick)                            | sqm   | 780.00              |
| M-027   | Aluminium Studs 100 mm x 100 mm fitted with lense reflectors | Nos.  | 110.00              |
| M-028   | Bamboo (1st Class) 85 mm - 100 mm dia, 2.0 m long            | No.   | 10.00               |
| M-029   | Bamboo (1st Class) 85 mm - 100 mm dia, 2.5 m long            | No.   | 12.00               |
| M-029   | Bamboo (1st Class) 85 mm - 100 mm dia, 3.0 m long            | No.   | 15.00               |
| M-030   | Bamboo (1st Class) 85 mm - 100 mm dia, 4.5 m - 5.5 m long    | No.   | 20.00               |
| M-029   | Bamboo (2nd Class) 75mm dia, 1.8 m - 2.5 m long              | No.   | 6.00                |
| M-030   | Bamboo (2nd Class) 75mm dia, 2.1 m - 3.0 m long              | No.   | 3.00                |
| M-031   | Barbed wire  | kg    | 50.00               |
| M-032   | Binding Material   | cum   | 200.00              |
| M-033   | Binding wire   | kg    | 50.00               |
| M-034   | Bitumen (Crumb Rubber Modified)                              | tonne | Input Rate          |
| M-035   | Bitumen (Natural Rubber Modified)                            | tonne | Input Rate          |
| M-036   | Bitumen (Polymer Modified)                                   | tonne | 46,536.00           |
| M-037   | Bitumen (S-65)   | t     | 42,600.00           |
| M-038   | Bitumen (S-90)   | t     | 40,000.00           |
| M-039   | Bitumen Emulsion (RS-1)                                      | t     | 35,336.00           |
| M-040   | Bitumen Emulsion (SS-1)                                      | t     | 35,336.00           |
| M-041   | Bituminous sealant   | litre | 76.00               |
| M-042   | Blasted rubble   | cum   | 300.00              |
| M-043   | Blasting material  | kg    | 150.00              |
| M-044   | Bond stone (400 mm x 150 mm x 150 mm)                        | No.   | 30.00               |
| M-045   | Brick 1st Class  | No.   | 6.00                |
| M-046   | Cement   | t     | 7,000.00            |
| M-047   | Cement Primer  | litre | 100.00              |

**BASIC RATES**  
**(C) Material**

| Sl. No. | Description   | Unit  | Rate at Plant (Rs.) |
|---------|---|-------|---------------------|
| M-048   | Chlorprene Elastomer or Closed Cell Foam Sealing Element                        | m     | 850.00              |
| M-049   | Compensation for earth taken from private land                                  | cum   | 10.00               |
| M-050   | Compressible Fibre Board  | sqm   | 690.00              |
| M-051   | Copper plate  | kg    | 950.00              |
| M-052   | Corbelling Stones (300 mm x 150 mm x 150 mm)                                    | No.   | 20.00               |
| M-053   | Corrosion Resistant Structural Steel Grating                                    | kg    | 43.00               |
| M-054   | Credit for excavated rock found suitable for use                                | cum   | 70.00               |
| M-055   | Crow bars 40 mm dia (hire charges)  | hour  | 75.00               |
| M-056   | Crushed Sand or Grit Passing 2.36 mm and retained on 180 micron                 | cum   | 500.00              |
| M-057   | Crushed Slag  | cum   | 300.00              |
| M-058   | Crushed Stone Aggregate 26.5 mm to 75 micron                                    | cum   | 900.00              |
| M-059   | Crushed Stone chipping 13.2 mm nominal size                                     | cum   | 1,050.00            |
| M-060   | Crushed Stone Chipping 6.7 mm size 100% passing 11.2 mm and retained on 2.36 mm | cum   | 1,200.00            |
| M-061   | Crushed Stone Chipping 6.7 mm size 100% passing 9.5 mm and retained on 2.36 mm  | cum   | 1,200.00            |
| M-062   | Crushed Stone chipping 9.5 mm nominal size                                      | cum   | 1,200.00            |
| M-063   | Crushed Stone Coarse Aggregate Passing 53 mm and retained on 2.8 mm             | cum   | 1,000.00            |
| M-064   | Curing compound   | litre | 150.00              |
| M-065   | Debonding strips  | m     | 20.00               |
| M-066   | Edge Stone (450 mm x 350 mm x 100 mm)   | No.   | 50.00               |
| M-067   | Edge Stone (450 mm x 350 mm x 200 mm)   | No.   | 100.00              |
| M-068   | Elastomeric bearing assembly  | Nos.  | 8,525.00            |
| M-069   | Electric Detonator  | each  | 5.19                |
| M-070   | Epoxy Paint   | litre | 639.00              |
| M-071   | Epoxy Primer  | litre | 549.00              |

**BASIC RATES**  
**(C) Material**

| Sl. No. | Description   | Unit | Rate at Plant (Rs.) |
|---------|---|------|---------------------|
| M-072   | Farmyard manure   | cum  | 250.00              |
| M-073   | Fevicol adhesive  | kg   | 160.00              |
| M-074   | Filter media  | cum  | 300.00              |
| M-075   | Fine aggregate/Crushed sand 2.36 mm to 75 micron  | cum  | 500.00              |
| M-076   | Galvanised angle  | kg   | 45.00               |
| M-077   | Galvanised angle Section 100 mm x 100 mm of 12 mm thickness   | kg   | 45.00               |
| M-078   | Gelatine 80 per cent  | kg   | 150.00              |
| M-079   | GI Pipe 100 mm dia  | m    | 721.00              |
| M-080   | GI Pipe 50 mm dia   | m    | 225.00              |
| M-081   | GI wires  | kg   | 55.00               |
| M-082   | Graded stone aggregate  | cum  | 900.00              |
| M-083   | Granular material (Natural occurring, soil gravel mixture / quarry waste, kankar, laterite, dhandla | cum  | 400.00              |
| M-084   | Hand Broken Metal 40 mm size  | cum  | 800.00              |
| M-085   | Indigo  | kg   | 180.00              |
| M-086   | Interlocking Blocks with 60 mm thickness  | sqm  | 20.00               |
| M-087   | Interlocking Blocks with 80 mm thickness  | sqm  | 700.00              |
| M-088   | Joint filler board  | sqm  | 200.00              |
| M-089   | Jute netting, open weave 25 mm square opening   | sqm  | 18.00               |
| M-090   | Jute rope 12 mm dia   | m    | 20.00               |
| M-091   | Key Aggregates passing 22.4 mm and retained on 2.8 mm   | cum  | 1,000.00            |
| M-092   | Lime  | t    | 5,600.00            |
| M-093   | Lime putty  | t    | 10,000.00           |
| M-094   | Local Wood Piles (1st Class) 150-200 mm dia ,6m long  | No.  | 700.00              |
| M-095   | Local Wood Piles (1st Class) 100 mm x 75 mm   | cum  | 4,200.00            |
| M-096   | Loose stone   | cum  | 300.00              |

**BASIC RATES**  
**(C) Material**

| Sl. No. | Description                                  | Unit  | Rate at Plant (Rs.) |
|---------|--|-------|---------------------|
| M-097   | MS clamps                                    | Nos.  | 50.00               |
| M-098   | MS Flat / Structural Steel                   | t     | 37,060.00           |
| M-099   | MS Sheet Tube (47 mm x 47 mm x 12 SWG Sheet) | kg    | 35.50               |
| M-100   | MS Sheet 1.5 mm thick                        | sqm   | 500.00              |
| M-101   | MS Sheet 2 mm thick                          | sqm   | 600.00              |
| M-102   | Nuts, Bolts and Rivets                       | t     | 130,000.00          |
| M-103   | Paint (Synthetic Enamel)                     | litre | 167.00              |
| M-104   | Plasticizer                                  | litre | 100.00              |
| M-105   | Polythene sheet (125 micron)                 | sqm   | 6.00                |
| M-106   | Polythene Sheething                          | Nos.  | 28.00               |
| M-107   | Quarried Stone 150-200 mm size               | cum   | 500.00              |
| M-108   | RCC Pipe NP3 (1200 mm dia)                   | m     | 8,300.00            |
| M-109   | RCC Pipe NP3 (1000 mm dia)                   | m     | 7,600.00            |
| M-110   | RCC Pipe NP3 (750 mm dia)                    | m     | 800.00              |
| M-111   | RCC Pipe NP3 (600 mm dia)                    | m     | 500.00              |
| M-112   | RCC Pipe NP3 (500 mm dia)                    | m     | 400.00              |
| M-113   | RCC Pipe NP4 (1200 mm dia)                   | m     | 9,100.00            |
| M-114   | RCC Pipe NP4 (1000 mm dia)                   | m     | 7,900.00            |
| M-115   | RCC Pipe NP4 (750 mm dia)                    | m     | 1,000.00            |
| M-116   | RCC Pipe NP4 (600 mm dia)                    | m     | 600.00              |
| M-117   | RCC Pipe NP4 (500 mm dia)                    | m     | 500.00              |
| M-118   | Red-oxide Primer                             | litre | 90.00               |
| M-119   | Road marking paint                           | litre | 180.00              |
| M-120   | Sand (Coarse)                                | cum   | 500.00              |
| M-121   | Sand (Fine)                                  | cum   | 500.00              |

**BASIC RATES**  
**(C) Material**

| Sl. No. | Description   | Unit | Rate at Plant (Rs.) |
|---------|---|------|---------------------|
| M-122   | Seeds   | kg   | 25.00               |
| M-123   | Steel Pipe 50 mm dia  | m    | 165.00              |
| M-124   | Steel Reinforcement (HYSD Bars)                                   | t    | 39,800.00           |
| M-125   | Steel Reinforcement (MS Round Bars)                               | t    | 39,800.00           |
| M-126   | Steel Reinforcement (TMT Bars)                                    | t    | 43,000.00           |
| M-127   | Stone Boulder of size 150 mm and below                            | cum  | 650.00              |
| M-128   | Stone Chips 12 mm size  | cum  | 1,200.00            |
| M-129   | Stone Chips 13.2 mm to 5.6 mm                                     | cum  | 1,200.00            |
| M-130   | Stone Crushed Aggregate 11.2 mm to 0.09 mm                        | cum  | 1,200.00            |
| M-131   | Stone for Coarse Rubble Masonry 1st Sort                          | cum  | 450.00              |
| M-132   | Stone for Coarse Rubble Masonry 2nd Sort                          | cum  | 400.00              |
| M-133   | Stone for Random Rubble Masonry                                   | cum  | 400.00              |
| M-134   | Stone for Stone Set Pavement (300 mm x 200 mm x 150 mm)           | No.  | 20.00               |
| M-135   | Stone Screening - Type A 13.2 mm for Grading-1                    | cum  | 1,050.00            |
| M-136   | Stone Screening - Type A 13.2 mm for Grading-2                    | cum  | 1,050.00            |
| M-137   | Stone Screening - Type B 11.2 mm for Grading-2                    | cum  | 1,050.00            |
| M-138   | Stone Screening - Type B 11.2 mm for Grading-3                    | cum  | 1,050.00            |
| M-139   | Stone spall   | cum  | 500.00              |
| M-140   | Traffic cones   | No.  | 110.00              |
| M-141   | Water   | kl   | 210.00              |
| M-142   | Well graded Granular Base Material - Grading A 2.36 mm below      | cum  | 500.00              |
| M-143   | Well graded Granular Base Material - Grading A 26.5 mm to 4.75 mm | cum  | 800.00              |
| M-144   | Well graded Granular Base Material - Grading A 53 mm to 26.5 mm   | cum  | 750.00              |
| M-145   | Well graded Granular Base Material - Grading B 2.36 mm below      | cum  | 500.00              |
| M-146   | Well graded Granular Base Material - Grading B 26.5 mm to 4.75 mm | cum  | 800.00              |

**BASIC RATES**  
**(C) Material**

| Sl. No. | Description  | Unit | Rate at Plant (Rs.) |
|---------|--|------|---------------------|
| M-147   | Well graded Granular Base Material - Grading C 2.36 mm below       | cum  | 500.00              |
| M-148   | Well graded Granular Base Material - Grading C 9.5 mm to 4.75 mm   | cum  | 900.00              |
| M-149   | Well Graded Material for Sub-Base - Grading I 2.36 mm below        | cum  | 500.00              |
| M-150   | Well Graded Material for Sub-Base - Grading I 53 mm to 9.5 mm      | cum  | 750.00              |
| M-151   | Well Graded Material for Sub-Base - Grading I 9.5 mm to 2.36 mm    | cum  | 900.00              |
| M-152   | Well Graded Material for Sub-Base - Grading II 2.36 mm below       | cum  | 500.00              |
| M-153   | Well Graded Material for Sub-Base - Grading II 26.5 mm to 9.5 mm   | cum  | 800.00              |
| M-154   | Well Graded Material for Sub-Base - Grading II 9.5 mm to 2.36 mm   | cum  | 900.00              |
| M-155   | Well Graded Material for Sub-Base - Grading III 2.36 mm below      | cum  | 500.00              |
| M-156   | Well Graded Material for Sub-Base - Grading III 4.75 mm to 2.36 mm | cum  | 600.00              |
| M-157   | Well Graded Material for Sub-Base - Grading III 9.5 mm to 4.75 mm  | cum  | 900.00              |
| M-158   | Wooden sleepers (250 mm x 250 mm x 125 mm) (hire charges)          | No.  | 50.00               |